





KWC EVE is designed to appeal to your sense of elegance. The feminine silhouette of this shapely beauty captivates you with both its style and its sophistication. The integrated LEDs illuminate the jet of water to create an enchanting sculpture of light, while in terms of functionality, KWC EVE is a shining example of sustainable innovation.





### On and off

A touch of a button is all it takes for luminaqua® to transform the jet of water from your faucet into a wonderful play of light. The light switches off automatically after 45 minutes.

#### **Bright and brilliant**

To create the right atmosphere in your kitchen, you can activate the luminaqua® play of light whenever the mood strikes you. The light ring is integrated into the pull-out aerator, making it seem invisible, while the LEDs have a very long lifespan but use very little electricity.

# The elegance is in the detail





#### **Covert and discreet**

This covered pull-out aerator shares its secrets with you alone. The pull-out spray with a flexible hose is integrated into the spout with perfect discretion.

#### **Round and about**

With a radius of 270°, you can swing this faucet round to its full extent. The elegant spout swivels easily, giving you even more freedom to move around comfortably in the kitchen.



10.121.103.000FL all chrome A 225, mains receiver, with luminaqua® LED-technology 10.121.103.700FL stainless steel

A 225, mains receiver, with luminaqua® LED-technology



10.121.103.150FL glacier white A 225, mains receiver, with luminaqua® LED-technology



**10.121.103.151FL** black chrome-plated A 225, mains receiver, with luminaqua® LED-technology

## 190 339 201

10.121.102.000FL all chrome A 190, mains receiver, with luminaqua® LED-technology 10.121.102.700FL stainless steel

A 190, mains receiver, with luminaqua® LED-technology



10.111.103.000FL all chrome A 225, without luminaqua® LED-technology 10.111.103.700FL stainless steel A 225, without luminaqua® LED-technology



10.111.102.000FL all chrome A 190, without luminaqua® LED-technology 10.111.102.700FL stainless steel A 190, without luminaqua® LED-technology



2.536.063.000 all chrome 2.536.063.700 stainless steel 2.536.063.150 glacier white 2.536.063.151 black chrome-plated

with luminaqua® LED-technology

Lever mixer

- Lever installation possible on the right or left side
- Pull-out aerator covered
   integrated ON/OFF push-button with automatic shut-off after 45 minutes
- up to 600 mm pull-out length
  hose surface to fit faucet surface
- Hose guide, swivelling
- nose galae, stillening

Flow rate 10 l/min (3 bar)

Lever mixer

 Lever installation possible on the right or left side

without luminaqua® LED-technology

- Pull-out aerator covered
- up to 600 mm pull-out length
- hose surface to fit faucet surface
   Hose guide, swivelling 270°

Flow rate 10 l/min (3 bar)

